SAFETY DATA SHEET

PROFIX CF-4/CE/CF 10W-30	Date Prepared: SDS No.	June 1, 2016 4100951	
1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION			•

I. CHEMICAL PRODUCT AND COMPANY IDENTIFI	CATION
Product Name:	PROFIX CF-4/CE/CF 10W-30
General or Generic ID:	Diesel Engine Oil
Chemical Family / Description:	Petroleum Hydrocarbons
Company:	SANKYO YUKA KOGYO K.K.
Address:	2-6-1, Hiroo, Ichikawa-City, Chiba Pref., Japan
Telephone Numbers	
Emergency:	81-47-356-1211
Information:	81-47-356-1241

2. HAZARDS IDENTIFICATION

Physical Hazards:	Flammable liquids		Not classified
Health Hazards:	Acute toxicity	Oral	Not classified
		Dermal	Not classified
		Inhalation	Not classified
	Skin corrosion/Irritat	ion	Not classified
	Serious eye danger/Eye	irritation	Not classified
	Respiratory sensitizat	ion	Not classified
	Skin sensitization		Not classified
	Germ cell mutagencity		Not classified
	Carcinogencity		Not classified
	Reprodoctive toxicity		Not classified
Specific target organ systemic toxicit		systemic toxicity	
	- Single exposure		Not classified
	- Repeated exposure		Not classified
	Aspiration hazard		Not classified
Enviromental Hazards:	Hazardous to the aquat	ic enviroment	
	-Acute aquatic to:	xicity	Not classified
	-Chronic aquatic	toxicity	Not classified

Symbol:	None
Signal word:	None
Hazard statement:	None
Precautionary statement	
Prevention:	None
Response:	NI
Response.	None
Storage:	None

3. COMPOSIT	ION/INFORMATION ON INGREDIENTS	
Substance/Mix		
	ct description: Petroleum hydrocarbons and additive(s)	
	nd composition:	
11101 0 01 01100 0	Ingredient(s) Composition(wt%)	
	Mineral, Hydrotreated Oil 80.0 - 90.0	
	Additive(s) 10.0 - 20.0	
<u>.</u>	D MEASURES	
Skin contact:	Remove all contaminated clothing. Wash the affected area with plenty of water with	
_	mild soap. If irritation is continued, refer to medical attention.	
Eye contact:	Gently rince the affected eyes with clean water for at least 15 minutes lifting	
	upper and lower eyelids occasionally. And refer to medical attention.	
Inhalation:	Remove victim to fresh air. If breathing is weak, irregular or has stopped, open	
	his airway, loosen his collar and administer artificial respiration. And refer to	
	medical attention.	
Ingestion:	Do not induce vomiting and refer to medical attention.	
	Never give anything by mouth to a convulsing or unconscious person.	
5. FIRE-FIG	HTING MEASURES	
	media: Foam, Dry chemical, Carbon dioxide	
	rds regarding with fire-fighting measure	
-	are best controlled by foam.	
	guishing media from a safe distance and project surrounding area.	
	s should wear proper protective equipment and self-breathing apparatus.	
Hazardous com	bustion product: Incomplete combustion can produce smoke and carbon monoxide.	
6. ACCIDENTA	AL RELEASE MEASURES	
Personal prec	autions:	
• Evacuate pe	rsonnel to safe area. Evacute non- essential personnel.	
-	protective equipment.	
	material is released or spilled:	
	1 sources of ignition.	
	pill, absorb spills with inert materials(e.g. dry sand, earth, etc.), then place in a	
	ste containers.	
• For large spill, dike for later disposal, cover spills with foam, then place in a chemical waste		
	sing non-sparking tools.	
	AND STORAGE	
Handling:		
• Shut off al	l gas pilot and electrical igniters and other sources of ignition during use and	
until all vapors gone.		
• Wear proper protective equipment to avoid contact and inhalation.		
• Use local exhaust ventilation.		
Storage:		
• Keep containers tightly closed and store in a cool, dark, well-ventilated location.		
• Keep away from heat, ignition source and sunlight.		
	terials to be avoided: Strong oxidizing agents, organic peroxides, strong bases.	

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

C. BROSCRE CONTROLO, TERSONE TROTECTION
Exposure control:
• Use this product only in a totary enclosed systems or local exhaust ventilation.
• Make available in the work area with emergency shower and eyes washer.
Exposure limit:
ACGIH(2010): 5mg/m ³ mist(TWA)
Personal protection equipment:

Personal protection equipment:

- Respiratory protection: Industrial canister gas masks.
- Eye protection: Safety goggles or face shield.
- Hand, skin and body protection: Chemical-resistant gloves, impervious boots and apron or full-body suit.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Bright and clear liquid
Color:	Light Amber
Odor:	Slight odor
Flash point:	\geq 200 °C (COC)
Boiling point:	No Data Available
Explosion limit	
(in air, vol%):	Lower 1 Upper 7
Vapor density:	No Data Available
Density at 15℃:	$0.87 - 0.89 \text{ g/cm}^3$
Solubility:	Insoluble in water
Pour point:	\leq -25.0 °C

10. STABILITY AND REACTIVITY

Stability:	Stable under normal temperature and pressure.
Materials to avoid:	strong oxidizers.
Hazardous Decomposition products:	Carbon monoxide.
Hazardous polymerization:	Will not occur.

Oral toxicity(rats):	$LD_{50} > 50$	000mg/kg practically non-toxic.
<pre>Dermal toxicity(rats):</pre>	$LD_{50} > 50$	000mg/kg practically non-toxic.
Inhalation toxicity(rats):	$LC_{50} > 5m$	ng/L practically non-toxic.
Carcinogenic effects:	OSHA:	This material is listed as Group 3 IARC.
	EU:	The classification as a carcinogen need not apply.

12. ECOLOGICAL INFORMATION

Toxicity:

- In a static acute limit test, fathead minnow were exposed to the Water Accommodated Flaction (WAF) of a similar substance to the product at a nominal concentration of 100 mg/L: LL_{50} (fish, 96h,) \geq 100mg/L; NOEL (fish, 14d) \geq 100mg/L.
- In a static Daphnia magna test, animals were exposed to the WAF of a similar substance to the product at nominal concentrations of up to 10,000 mg/L: EL_{50} (48h) and NOEL were greater than 10,000 mg/L. Thus, the similar base oil WAF is generally non-toxic.
- In a semi-static, long-term Daphnia magna reactive test, animals were exposed to the WAF of a similar substance to the product at nominal concentrations of up to 1,000 mg/L: the NOEL (Daphnia magna, 21d) was 10 mg/L based on effects to reproduction.

SDS PROFIX CF-4/CE/CF 10W-30

• In an algal toxicity study, Pseudokirchneriella subcapitata was exposed to a similar substance to the product at a nominal concentration of 100 mg/L WAF loading rate under static conditions: NOEL was found to be \geq 100 mg/L based on average specific growth rate and cell yield.

• In a static 4-Day microorganism luminescence inhibition study using other lubricant base oils as control substances, no significant luminescence inhibition was observed.

Mobillity in soil:

Lubricating oils components have estimated log $K_{0C} > 3$, indicating these components are likely to be adsorbed onto soil and sediment and are not likely to leach to ground water.

Persistence and degradability:

Another lublicant base oil was determined to be inherently biodegradable but not readily biodegradable, with a mean degradation of 31% by day 28.

Bioaccumulative potencial:

The bioconcentration values estimated for components of lubricating oils suggest some bioaccumulation potential for some components.

13. DISPOSAL CONSIDERATION

Dispose of in accordance with all applicable local, state and federal regulations. This product is not suitable for landfill or disposal via the drains. Containers of this material may be hazardous when emptied due to product residue. All hazard precautions given in this data sheet must be observed for empty containers.

14. TRANSPORT INFORMATION

The description shown may no	ot apply to all shipping situations.
DOT Proper Shipping Name:	Not Applicable
IMDG Proper Shipping Name:	Not Applicable
ICAO Proper Shipping Name:	Not Applicable
TDG Proper Shipping Name:	Not Applicable
NFPA Proper Shipping Name:	Class 1
UN Number:	Not Applicable

15. REGULATORY INFORMATION

The U.S. TSCA inventory:

All components of this material are on the US TSCA Inventory.

The EC EINECS inventory:

All components of this material are on the EC EINECS Inventory. The CANADA DSL inventory:

All components of this material are on the DSL Inventory. The AUSTRALIA AICS inventory:

All components of this material are on the AICS Inventory. The KOREA TCCL inventory:

All components of this material are on the TCCL Inventory.

The PHILIPPINE PICCS inventory:

All components of this material are on the PICCS Inventory.

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not.

Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.